

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/540440	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S2	348356	("707" "705" "709" "715" "345" "370" "382").clas. and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S3	10442	(707/102 707/104.1 707/204).ccls. and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S4	61	context\$3 near5 (relat\$3 associat\$3) near5 (mobile portable cell) near5 (phone device cellphone pda) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S5	911	context\$3 near5 (mobile portable cell) near5 (phone device cellphone pda) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S6	362	S5 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S7	10	S5 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09

S8	348356	("707" "705" "709" "715" "345" "370" "382").clas. and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S9	61	context\$3 near5 (relat\$3 associat\$3) near5 (mobile portable cell) near5 (phone device cellphone pda) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S10	23	S9 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S11	38	S9 not S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S12	1162	calendar near5 (monitor\$3 watch\$3 alarm\$3) and (((mobile portable cell) adj phone device) cellphone pda laptop pager) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S13	31	calendar near5 (monitor\$3 watch\$3 alarm\$3) and membership and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S14	6	calendar near5 (monitor\$3 watch\$3 alarm\$3) same (\$2liability trustworth\$5) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09

S15	28	(calendar schedule appointment) near5 (monitor \$3 watch\$3 alarm\$3 reminder) same (time appointment) near5 (exceed \$3 overlap\$4) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S16	1	"6741996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S17	1	"20040034655"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S18	58	(transform\$3 conver\$4) same (base) same out near5 range near5 frequency and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S19	5	(transform\$3 conver\$4) same (base) same out adj range near5 frequency and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S20	69	(transform\$3 conver\$4) same out adj range near5 frequency and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S21	1237	out near2 range near2 frequency and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S22	100	out near2 range near2 frequency same (Code base) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09

S23	17	out near2 range near2 frequency same (code) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S24	10	(scor\$3 match\$3) near5 (image picture video audio music song multimedia media) near5 calendar and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S25	25	(encod\$3 cod\$3) near5 (metadata (meta adj (data information))) same (cod\$3 encod\$3) near5 frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S26	14	(encod\$3 cod\$3) near5 (metadata (meta adj (data information))) same (cod\$3 encod\$3) near5 frequency and audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S27	50	(metadata (meta adj (data information))) and (octave) near5 frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S28	5	(encod\$3 cod\$3) near5 (metadata (meta adj (data information))) and (octave) near5 frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S29	8	(metadata (meta adj (data information))) same (octave)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S30	24	(metadata (meta adj (data information))) and (octave) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09

S31	1	(encod\$3 cod\$3) near5 (metadata (meta adj (data information))) and octave and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S32	346	(encod\$3) same octave and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S33	100	(encod\$3) near5 (data information) same octave and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S34	8	(encod\$3) near5 header same octave and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S35	70	(encod\$3) near5 header same (subband (sub adj (band frequency))) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S36	8	S35 and octave	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S37	11	header near5 octave and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S38	1	"20030133423" and repeat\$3 same frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09

S39	31	(image picture video audio music song multimedia media) near5 calendar and maximum near5 (grade scor \$3 point) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S40	150	membership near5 grade near5 value and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S42	1	membership near5 grade near5 value and calendar and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S43	12	maximum near5 membership near5 grade near5 value and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 10:09
S44	195	((Theimer near1 Wolfgang) (Haberland-Schlosser near1 Knut) (Weingart near1 Peter) (Serafat near1 Reza) (Luck near1 Matthias) (Gorzt near1 Udo) (Rateitschek near1 Klaus) (Makela near1 Jakke) (Myka near1 Andreas)).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 13:28
S45	140	S44 and nokia.asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 13:29
S46	0	S45 and membership near2 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 13:29
S47	0	S45 and membership near5 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 13:29

S48	1	S44 and membership near5 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 13:29
S49	6	S44 and histor\$4 near5 (stor \$3 archiv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 13:30
S50	0	S45 and membership	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 13:31
S51	1	S44 and membership	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 13:31
S52	30	S44 and calendar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 13:31
S53	17	S45 and calendar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 13:32
S54	46	S45 and frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 13:33
S55	0	S54 and cod\$3 near2 (basis base)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 13:33

S56	1	S45 and cod\$3 near2 (basis base)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 13:34
S57	1	"6484156".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 14:53
S58	1	"20010049691"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 14:57
S59	1	"20030133423"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 14:59
S60	1	"6192056".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 15:02
S61	2	"20020031240"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 15:05
S62	1	"5805773".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/11/25 15:07
S63	25	repeat\$3 near5 (code codec) near5 (base basis) same frequency and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:17



S64	67	(alarm\$3 alert\$3) near5 operation same calendar and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:30
S65	7	(alarm\$3 alert\$3) near5 operation same calendar same compar\$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:30
S66	16	(alarm\$3 alert\$3) near5 operation same calendar and compar\$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:35
S67	9	S66 not S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:35
S68	0	(alarm\$3 alert\$3) near5 (reliability trustworthy) same calendar and compar\$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:49
S69	0	(alarm\$3 alert\$3) near5 (reliability trustworthy) and calendar same compar\$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:49
S70	12	(alarm\$3 alert\$3) near5 (reliability reliable probability trustworthy) and calendar and compar\$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:50
S71	12	(alarm\$3 alert\$3) near5 (reliability reliable probability trustworthy) and calendar and compar\$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 15:28

S76	9	(reliability reliable probability trustworthy accurate\$4) near5 appointment and compar\$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 15:39
S77	29	remind\$3 near5 appointment same calendar and compar\$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 15:51
S78	19	remind\$3 near5 (appointment scheduled\$3 calendar) same (before start\$3) same (after end\$3) and compar\$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 15:57
S79	96	(remind\$3 alarm\$3 alert\$3 notif\$4 notification) same (event appointment scheduled\$3) near5 (before start\$3) same (event appointment scheduled\$3) near5 (after end\$3) and compar\$3 near5 time and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 16:52
S80	10	(remind\$3 alarm\$3 alert\$3 notif\$4 notification) same (event appointment scheduled\$3) near5 (before start\$3) same (event appointment scheduled\$3) near5 (after end\$3) and compar\$3 near5 time same calendar and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 16:53
S81	641	(remind\$3 alarm\$3 alert\$3 notif\$4 notification) same (event appointment scheduled\$3) and microsoft near5 outlook and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 16:55

S82	25	(remind\$3 alarm\$3 alert\$3 nofif\$4 notification) same (event appointment schedul \$3) near5 (before start\$3) same (event appointment schedul\$3) near5 (after end \$3) and microsoft near5 outlook and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 16:56
S83	6	(remind\$3 alarm\$3 alert\$3 nofif\$4 notification) same (upcoming) near5 (event appointment schedul\$3) same (miss\$3 skip\$4) near5 (event appointment schedul \$3) and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 17:02
S84	189	(encod\$3 cod\$3) near5 (metadata (meta adj data) (meta adj information) header) and repeat\$3 near5 frequency and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/08 11:57
S85	32	(encod\$3 cod\$3) near5 (metadata (meta adj data) (meta adj information) header) same frequency and repeat\$3 near5 frequency and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/08 11:57
S86	1	(encod\$3 cod\$3) near5 (metadata (meta adj data) (meta adj information) header) same frequency and repeat\$3 near5 frequency same out near5 range and (@ad<"20021220" @pd<"20021220" @rlad<"20021220")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/08 12:03
S87	2	"2,642,524".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/08 12:21

1/8/2010 12:59:25 PM

**C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces\ son\_10\_540\_440\_case.  
wsp**